

Your Personalised Land Rover

RANGE ROVER

NEW RANGE ROVER VELAR

Range Rover Velar R-Dynamic SE Ingenium 2.0 litre 4-cylinder 250PS Turbocharged Petrol





EXTERIOR



EXTERIOR FEATURES

COLOURS	Carpathian Grey
WHEELS	20" 10 spoke 'Style 1032' with Satin Dark Grey finish
ROOF COLOUR	Black Contrast roof
ROOF TYPE	Sliding Panoramic roof
GLASS	Privacy glass
HEADLIGHTS	Matrix LED Headlights with Signature DRL



COLOURS



WHEELS



ROOF COLOUR



ROOF TYPE



GLASS




HEADLIGHTS

INTERIOR



INTERIOR FEATURES

TRIM	Ebony Perforated Grained Leather and Ebony Suedecloth
SEAT FUNCTIONALITY	10-way seats with Driver Memory
INTERIOR UPGRADES	Standard Interior
HEADLINING	Ebony Morzine headlining
FINISHERS	Satin Umber Linear veneer
MATERIAL	Suedecloth steering wheel
AUDIO	Meridian Surround Sound System (17 Speakers 825W)



TRIM



HEADLINING



FINISHERS



MATERIAL



AUDIO

OPTIONS

OPTION PACKS

Climate Pack	Four-zone Climate Control Cabin Air Ionisation Lockable Cooled Glovebox
On/Off Road Pack	Terrain Response 2 All Terrain Progress Control Configurable Dynamics

TYRES AND SPARE WHEELS

Reduced Section Spare Wheel	Reduced size spare wheel with vehicle jack and toolkit stored under loadspace floor. * Loadspace floor will be raised and maximum loadspace volume will be reduced. Please contact your local Land Rover Retailer for more information.
-----------------------------	--

DRIVING AIDS

All Terrain Progress Control	All Terrain Progress Control (ATPC) ATPC is a low speed, cruise control feature for all road conditions operating between 2 km/h and 30 km/h. It is an autonomous system requiring no pedal inputs from the driver and is effective on all types of slippery surface including wet grass, snow, ice and dirt roads.
Configurable Dynamics	The Configurable Dynamics system lets you select specific chassis and powertrain settings to suit your preferred driving style, with gearbox mapping, steering and suspension configurations. The Dynamic-i feature is also available, featuring a G-meter, stopwatch and pedal response indicator.
Surround Camera System	Using four digital cameras discretely placed around the vehicle, this system provides a 360° overhead view on the Touchscreen. Along with the capacity to display several different views at the same time. The Tow Assist feature helps with reversing by predicting the trailer's direction. You can even choose your trailer's width for precise guidelines displayed on the Touchscreen.

Terrain Response 2

Terrain Response 2 enhances the Terrain Response system even further by monitoring driving conditions and automatically selecting the driving modes to achieve the best possible chassis and powertrain set up for the conditions.

INTERIOR FEATURES

Cabin Air Ionisation

This technology helps the well-being of both driver and passenger alike. It improves the air quality within the cabin, and can help reduce allergens, viruses, bacteria and odours. It does so by decomposing harmful substances, thus helping to cleanse the air in the cabin. It can be switched on or off.

Carpet Mats

510gsm Tufted Ebony floor mats with stitched Range Rover Velar badge further enhance the vehicle's interior. They feature Ebony Suede effect binding and single Ebony stitching.

Four-zone Climate Control

Automatic Four-zone Climate Control which can be optimised for each individual occupant. Includes additional vents in the B-pillar.

Lockable Cooled Glovebox

Cooled glovebox gives the option to vent the cooled air from the air conditioning system entering to cabin into the glovebox.

Smoker's Pack

Add a lighter socket and ashtray to the centre console. The lighter socket is located in the square storage area and the ashtray is in the cupholder.

TOWING

Detachable Tow Bar

Convenient and easy to use, the detachable tow bar maintains the vehicle's exterior design capable of towing loads up 2500kg.

*Towing weight may vary per market. Please contact your nearest Land Rover Retailer for more information.

Fixed Rear Recovery Eye

-

ACCESSORIES

LOADSPACE ACCESSORIES

Loadspace Liner Tray

Semi-rigid waterproof loadspace liner tray with a raised lip on three sides to protect loadspace floor and side wall carpets from dirt or wet equipment.

Not compatible with loadspace rails or loadspace retention kit.

Part number: VPLYS0417

Loadspace Side Net

Keep smaller items safely stowed away – but easy to find - with a loadspace side net.

Not compatible with loadspace luxury carpet mat, loadspace rubber mat, loadspace liner tray or vehicles fitted with full size spare wheel.

Part number: VPLYS0418

INTERIOR ACCESSORIES

Click and Go - Base

The Click and Go range is a multi-purpose seat-back system for second row passengers. The versatile Click and Go Base fixes between the headrest mountings and further attachments can be added to hold tablets, bags and shirts or jackets. Each attachment is sold separately. The base can be easily removed when not in use.

Required for fitment of Click and Go attachments. Not applicable with rear seat entertainment.

Part number: VPLRS0388

iPhone® Connect and Charge Dock

The iPhone connect and charge dock has been designed to allow visibility of the phone whilst charging, utilising the cup holder space in the central console. When connected the iPhone media is accessible and has the ability to be controlled via the integrated infotainment / audio system. The 'cut-out' design of the holder is such that home button is also accessible for use when parked. The iPhone USB charger can be easily disconnected if the USB connection is required for other use.

For use with iPhone 5, 5c, 5s, 6, 6s, SE and 7. Not suitable for use with 6 Plus or 7 Plus.

Part number: VPLRV0119

iPhone® is a registered trademark of Apple Inc., registered in the US and other countries.

SAFETY ACCESSORIES

Warning Triangle

Vital in emergencies. Stows in the loadspace compartment.

Part number: VPLVC0060

Legislative requirement to carry in vehicle in certain countries.

CARRYING ACCESSORIES

3 Bike Tow Bar Mounted Bike Carrier

The tow bar mounted bike carrier features a one hand, quick attach/release tow bar coupling mechanism and can be tilted away from the vehicle, by use of a foot pedal, to allow easy access into the rear tailgate. The tailgate can be opened with carrier in deployed/folded position. Manufactured from aluminium and other lightweight materials, the bike carrier also features a rear lighting and licence plate mount and it is lockable for security. The carrier has a folding/sliding mechanism to allow ease of stowage when not in use. A holder and ratchet function ensure bicycles are safely secured. Maximum load capacity 51kg.

Fits to either multi-height tow bar or electrically deployable tow bar.

Part number (Left Hand Drive): VPLVR0069

Part number (Right Hand Drive): VPLVR0068

STANDARD FEATURES

EXTERIOR FEATURES

Auto-Dimming, Power Fold, Heated Door Mirrors with Approach Lights

Powered Gesture Tailgate / Boot Lid

DRIVING AIDS

Rear View Camera

TRANSMISSION AND DYNAMICS

Trailer Stability Assist (TSA)

Autonomous Emergency Braking

Lane Departure Warning

Speed Proportional Electronic Power Assisted Steering (EPAS)

Coil Suspension

Open Rear Differential

Terrain Response

Single-Speed Transfer Box (High Range Only)

8-Speed Automatic Transmission

Adaptive Dynamics

Hill Launch Assist

Dynamic Stability Control (DSC)

Low Traction Launch

Electronic Traction Control (ETC)

Roll Stability Control (RSC)

Cornering Brake Control (CBC)

Torque Vectoring by Braking (TVBB)

Hill Descent Control (HDC)

Electric Parking Brake (EPB)

Anti-Lock Braking System (ABS)

Electronic Brake-force Distribution (EBD)

EXTERIOR FEATURES AND FINISH

Acoustic Laminated Windscreen

Heated Rear Window with Timer

Rain Sensing Windscreen Wipers

R-Dynamic SE badge

P250 badge

Flush Exterior Door Handles

Tailgate spoiler

HEADLIGHTS AND LIGHTING

Rear Fog Lights

Automatic Headlight Levelling System

Follow Me Home Lighting

Automatic Headlights

WHEELS AND OPTIONS

Tyre Pressure Monitoring System (TPMS)

Tyre Repair System

All-Season Tyres

INTERIOR FEATURES

Standard IP End Caps

Touch Pro Second Display

Auto-Dimming Interior Rear View Mirror

Illuminated Vanity Mirrors

Front and Rear Cupholders

Air Quality Sensor

Interior Lighting

Bright Metal Pedals

Metal front treadplates with R-Dynamic branding

INTERIOR FEATURES

Metal Loadspace Scuff Plate

SEATING FUNCTIONALITY

40:20:40 Split Fold Rear Seat

Passive front headrests

Second Row Centre Headrest

CONVENIENCE AND INFOTAINMENT

Interactive Driver Display

Intrusion Sensor

Navigation Pro

Pro Services

Bluetooth® Connectivity

InControl Apps

Remote

Power Socket Pack 1

Loadspace Cover

Lockable Glovebox

360° Parking Aid

Cruise Control and Speed Limiter

Keyless Entry

Voice Control

SAFETY

Blind Spot Monitor

Driver Condition Monitor

Reverse Traffic Detection

Traffic Sign Recognition and Adaptive Speed Limiter

Power Operated Child Locks

Seatbelt Reminder

SAFETY

Rear ISOFIX

Global Lock/Unlock Switch on Driver Door

Lock Only Switch on Front Passenger Door

6 Airbags

Advanced Emergency Brake Assist

Brake Pad Wear Indicator

Park Pack

Drive Pack

TECHNICAL SPECIFICATIONS

VEHICLE LENGTHS

Overall length (mm)	4,803
Wheelbase (mm)	2,874
Length behind first row (mm)	1,795
Length behind second row (mm)	1,035

VEHICLE HEIGHT & WIDTHS

Width with mirrors folded (mm)	2,032
Width with mirrors out (mm)	2,145
Front wheel track (Coil/Air Suspension) (mm)	1,640/ 1,644
Rear wheel track (Coil/Air Suspension) (mm)	1,657/ 1,663
Height (mm)	1,665

STANDARD RIDE HEIGHT

With roof rails (mm)	1,657
With roof antenna (mm)	1,685
With panoramic roof open (mm)	1,705
Access height air suspension setting will reduce each of the above by (mm)	-40

HEADROOM

Maximum front headroom with panoramic roof (mm)	970
Rear headroom (mm)	966

LEGROOM

Maximum front legroom (mm)	1,024
Maximum rear legroom (mm)	945

LOADSPACE CAPACITY - REAR SEAT UPRIGHT

Height (mm)	1,045
Width (mm)	1,247
Loadspace volume (litres)	673
Loadspace width between arches (mm)	1050
Length at floor (mm)	1,035

LOADSPACE CAPACITY - REAR SEATS FORWARD

Height (mm)	1,045
Width (mm)	1,247

LOADSPACE CAPACITY - REAR SEATS FORWARD

Loadspace volume (litres)	1731
Loadspace width between arches (mm)	1,247
Length at floor (mm)	1,795

OFF-ROAD OBSTACLE CLEARANCE

Off-road height (mm)	251
Approach Angle (Electronic Air Suspension)	24.3°
Ramp Angle (Electronic Air Suspension)	21.1°
Departure Angle (Electronic Air Suspension)	26.5°

STANDARD OBSTACLE CLEARANCE

Standard ride height (mm)	213
Approach Angle (Coil Suspension)	23.3°
Ramp Angle (Coil Suspension)	19.0°
Departure Angle (Coil Suspension)	25.3°

TURNING CIRCLE

Kerb-to-kerb (m)	11.6
------------------	------

TURNING CIRCLE

Wall-to-wall (m)	12
Turns lock-to-lock (m)	2.52

WADING DEPTH

Electronic Air Suspension (maximum) (mm)	650
Coil Suspension (maximum) (mm)	600

POWER (PS)

ENGINE DATA

Bore (mm)	83
Stroke (mm)	92.29
Compression ratio (:1)	10.5 +/-0.5

BRAKES

Front type	Single Piston Sliding Caliper, Ventilated Disc
Front diameter (mm)	325
Rear type	Single Piston Sliding Caliper, Ventilated Disc

BRAKES

Rear diameter (mm)	325
Park Brake	Motor on Caliper

WEIGHTS

Weight from (KG)	1,804
Gross Vehicle weight (KG)	2,470
Maximum mass on front axle (KG)	1,190
Maximum mass on rear axle (KG)	1,420

TOWING

Unbraked trailer (KG)	750
Maximum towing (KG)	2,400
Maximum coupling point/nose weight (KG)	175
Maximum vehicle and trailer combination/ Gross Train Weight (KG)	4,870

ROOF CARRYING

Maximum roof load (including Roof Rails) (KG)	79
--	----

PERFORMANCE

Maximum speed km/h	217 (135)
Acceleration 0-100 km/h seconds	6.7
Fuel tank capacity (litres approx.)	63
CO ₂ Combined emissions (g/km)	173

YOUR CONFIGURATION

https://buildyour.landrover.com/lr2/r/summary/_/en_xi/l560_k18/4bdzx/a-250si4_a-rdynamic_rd2/n-029nz_n-031fu_n-032fr_n-033jk-ta-eb_n-041cz_n-047ab_n-072ba_n-074qc_n-079aj_n-080an_n-086gc_n-088kl_n-094aa_n-1au_vplrs0388_vplrv0119_vplvc0060_vplvr0069_vplys0417_vplys0418



Vehicles shown are from the Land Rover Global range. Specifications, options and availability will vary between markets and should be verified with your local Land Rover Retailer. The figures provided are official EU Test Figures. For comparison purposes only. Real world figures may differ.

†Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm).

††Wet: Volume as measured by simulating the loadspace filled with liquid.

‡The figures provided are NEDC2 calculated from official manufacturer's WLTP tests in accordance with EU legislation. For comparison purposes only. Real world figures may differ. CO₂ and fuel economy figures may vary according to wheel fitment and optional extras fitted. NEDC2 are figures calculated using a Government formula from WLTP figures equivalent to what they would have been under the old NEDC test. The correct tax treatment can then be applied.

‡‡WLTP is the new official EU test used to calculate standardised fuel consumption and CO₂ figures for passenger cars. It measures fuel, energy consumption, range and emissions. This is designed to provide figures closer to real-world driving behaviour. It tests vehicles with optional equipment and with a more demanding test procedure and driving profile. The figures shown refer to the most economical/lightest set of options.

Weights reflect vehicles to standard specifications. Optional extras increase weight.

- [COOKIE AND PRIVACY POLICY](#)
- [TERMS AND CONDITIONS](#)
- [CONTACT US](#)
- [INTERNATIONAL STANDARDS](#)
- [SELECT A COUNTRY](#)
- [SITE DISCLAIMER](#)
- [ACCESSIBILITY STATEMENT](#)
-

© Jaguar Land Rover Limited 2023: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **any images cannot be updated to 22/23/24 model year specifications.** Features, options, trim and colour schemes will differ from many images. Customers are urged to consult your local Retailer for detailed 22/23/24 model year specifications and do not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local retailer for local availability and prices.

[VIEW REGULATION \(EU\) 2020/740 PDF](#)

RANGE ROVER

<http://www.landrover.com>