Your Personalised Land Rover

RANGE ROVER

NEW RANGE ROVER VELAR

Range Rover Velar Ingenium 2.0 litre 4-cylinder 180PS Turbocharged Diesel





EXTERIOR



EXTERIOR

EXTERIOR FEATURES

COLOURS	Corris Grey
WHEELS	21" 5 split-spoke 'Style 5047'
ROOF COLOUR	Black Contrast roof
ROOF TYPE	Sliding Panoramic roof
ROOF RAILS	Black Roof rails
GLASS	Clear Glass
HEADLIGHTS	Matrix-Laser LED Headlights with Signature DRL













COLOURS

WHEELS

ROOF COLOUR

ROOF TYPE

ROOF RAILS

GLASS

EXTERIOR

EXTERIOR FEATURES

Premium Exterior Pack

Includes:

- Narvik Black Mid Finisher
- Front Fog Lamps
- Atlas Lower Blade
- Narvik Black Lower Finisher
- Narvik Black Pinstripe Finisher
- Narvik Black Front Bumper Lower
- Narvik Black Rear Bumper Lower
- Indus Silver Toweye Cover Surround
- Narvik Black Tow Eye Cover

INTERIOR



INTERIOR 7

INTERIOR FEATURES

TRIM	Ebony Luxtec with Ebony Suedecloth
SEAT FUNCTIONALITY	8-way seats
INTERIOR UPGRADES	Standard Interior
HEADLINING	Ebony Morzine headlining
FINISHERS	Cosmic Grey Trim finisher
MATERIAL	Leather steering wheel
AUDIO	Land Rover Sound System (8 Speakers 250W)











TRIM HEADLINING

FINISHERS

MATERIAL

AUDIO

OPTIONS

OPTIONS 9

EXTERIOR FEATURES

Powered Gesture Tailgate / Boot Lid

Gesture tailgate uses proximity sensors located on either side of Range Rover Velar to allow the hands-free operation of the tailgate from the kerb. The tailgate can also be opened and closed via a button on the key fob and includes soft closing.

ACCESSORIES

ACCESSORIES 11

LOADSPACE ACCESSORIES

Loadspace Side Net	Keep smaller items safely stowed away – but easy to find - with a loadspace side net.
	Not compatible with loadspace luxury carpet mat, loadspace rubber mat, loadspace liner tray or vehicles fitted with full size spare wheel.
	Part number: VPLYS0418

INTERIOR ACCESSORIES

Wireless Phone Charging Cupholder	The wireless phone charging cupholder has been designed to allow visibility of the phone whilst charging, utilising the cup holder space in the centre console. The holder will accommodate varying phone sizes securely in place. The charger displays an LED light to indicate when charging, and turns off when complete. Fits phones up to 73mm wide such as iPhone 7 with Qi enabled case.
	For use with Qi enabled wireless charging devices only. The wireless phone charging cupholder does not provide a connection to In-Control Apps.
	Part number: VPLYV0124, VPLYV0125
Premium Leather Seat Back Stowage	Manufactured from the same premium leather offered on the vehicle, complemented with soft touch interior lining and magnetic button clasps. Provides convenient stowage solution for the rear of the front seats with multiple compartments for stowing small items.
	Part number: VPLVS0182
Cloth Child Seat - Group I-II (15 - 36 kg)	For children 15kg - 36kg (approximately 4 - 12 years). Land Rover branded. Forward facing on rear seat. Padded machine washable cover. Height adjustable two-part seat ensures correct seat belt position. Improved side impact protection.
	Compatible with ISOFIX mounting. Child seat includes ISOFIX system which anchors the seat directly to the vehicle's ISOFIX connection points.
	Part number: VPLRS0399
	Children are safer when correctly restrained in the rear of a vehicle.

STANDARD FEATURES

TRANSMISSION AND DYNAMICS

Trailer Stability Assist (TSA)	Autonomous Emergency Braking	Lane Departure Warning
Speed Proportional Electronic Power Assisted Steering (EPAS)	Coil Suspension	Open Rear Differential
Terrain Response	Single-Speed Transfer Box (High Range Only)	8-Speed Automatic Transmission
Adaptive Dynamics	Hill Launch Assist	Dynamic Stability Control (DSC)
Low Traction Launch	Electronic Traction Control (ETC)	Roll Stability Control (RSC)
Cornering Brake Control (CBC)	Torque Vectoring by Braking (TVBB)	Hill Descent Control (HDC)
Electric Parking Brake (EPB)	Anti-Lock Braking System (ABS)	Electronic Brake-force Distribution (EBD)

EXTERIOR FEATURES AND FINISH

Acoustic Laminated Windscreen	Heated Rear Window with Timer	Rain Sensing Windscreen Wipers
Heated Door Mirrors	Manual Tailgate / Boot lid	Flush Exterior Door Handles

HEADLIGHTS AND LIGHTING

Rear Fog Lights	Automatic Headlight Levelling System	Follow Me Home Lighting

Tailgate spoiler

HEADLIGHTS AND LIGHTING

Automatic Headlights

WHEELS AND OPTIONS

Tyre Pressure Monitoring System (TPMS)

Tyre Repair System

All-Season Tyres

INTERIOR FEATURES

Standard IP End Caps	Touch Pro Second Display	Auto-Dimming Interior Rear View Mirror
Illuminated Vanity Mirrors	Front and Rear Cupholders	Air Quality Sensor
Interior Lighting	Metal Front treadplates	Metal Loadspace Scuff Plate

SEATING FUNCTIONALITY

40:20:40 Split Fold Rear Seat Passive front headrests Second Row Centre Headrest

CONVENIENCE AND INFOTAINMENT

Analogue Dials with Central TFT Display Intrusion Sensor Bluetooth® Connectivity

Remote Power Socket Pack 1 Loadspace Cover

Lockable Glovebox Rear Parking Aid Cruise Control and Speed Limiter

Keyless Entry Voice Control

SAFETY

Power Operated Child Locks Seatbelt Reminder Rear ISOFIX

Global Lock/Unlock Switch on Driver Door Lock Only Switch on Front Passenger Door 6 Airbags

Advanced Emergency Brake Assist Brake Pad Wear Indicator

TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS

VEHICLE LENGTHS		HEADROOM	
Overall length (mm)	4,803	Maximum front headroom with panoramic roof (mm)	970
Wheelbase (mm)	2,874	Rear headroom (mm)	966
Length behind first row (mm)	1,795	Teal Headfoolii (IIIII)	
Length behind second row (mm)	1,035	LEGROOM	
		Maximum front legroom (mm)	1,024
VEHICLE HEIGHT & WIDTHS		Maximum rear legroom (mm)	945
Width with mirrors folded (mm)	2,032		
Width with mirrors out (mm)	2,145	LOADSPACE CAPACITY - REAR SEAT UPRIGHT	
Front wheel track (Coil/Air Suspension) (mm)	1,640/ 1,644	Height (mm)	1,045
Rear wheel track (Coil/Air Suspension) (mm)	1,657/ 1,663	Width (mm)	1,247
Height (mm)	1,665	Loadspace volume (litres)	673
		Loadspace width between arches (mm)	1050
STANDARD RIDE HEIGHT		Length at floor (mm)	1,035
With roof rails (mm)	1,657		<u> </u>
With roof antenna (mm)	1,685	LOADSPACE CAPACITY - REAR SEATS FORWARD	
With panoramic roof open (mm)	1,705	Height (mm)	1,045
Access height air suspension setting will reduce each of the above by (mm)	-40	Width (mm)	1,247

LOADSPACE CAPACITY - REAR SEATS FORWARD		TURNING CIRCLE	
Loadspace volume (litres)	1731	Wall-to-wall (m)	12
Loadspace width between arches (mm)	1,247	Turns lock-to-lock (m)	2.52
Length at floor (mm)	1,795		
		WADING DEPTH	
OFF-ROAD OBSTACLE CLEARANCE		Electronic Air Suspension (maximum) (mm)	650
Off-road height (mm)	251	Coil Suspension (maximum) (mm)	600
Approach Angle (Electronic Air Suspension)	24.3°		
Ramp Angle (Electronic Air Suspension)	21.1°	POWER (PS)	
Departure Angle (Electronic Air Suspension)	26.5°		
		ENGINE DATA	
STANDARD OBSTACLE CLEARANCE		Bore (mm)	83
Standard ride height (mm)	213	Stroke (mm)	92.4
Approach Angle (Coil Suspension)	23.3°	Compression ratio (:1)	15.5:1 +/5
Ramp Angle (Coil Suspension)	19.0°		
Departure Angle (Coil Suspension)	25.3°	BRAKES	
		Front type	Single Piston Sliding Caliper, Ventilated Disc
TURNING CIRCLE		Front diameter (mm)	325
Kerb-to-kerb (m)	11.6	Rear type	Single Piston Sliding Caliper, Ventilated Disc

BRAKES

Rear diameter (mm)	325
Park Brake	Motor on Caliper

WEIGHTS

Weight from (KG)	1,829
Gross Vehicle weight (KG)	2,490
Maximum mass on front axle (KG)	1,190
Maximum mass on rear axle (KG)	1,420

TOWING

Unbraked trailer (KG)	750
Maximum towing (KG)	2,400
Maximum coupling point/nose weight (KG)	175
Maximum vehicle and trailer combination/ Gross Train Weight (KG)	4,890

ROOF CARRYING

Maximum roof load (including Roof Rails)	79
(KG)	

PERFORMANCE

Maximum speed km/h	193 (120)
Acceleration 0-100 km/h seconds	8.9
Fuel tank capacity (litres approx.)	60
CO₂ Combined emissions (g/km)	142

YOUR CONFIGURATION

https://buildyour.landrover.com/lr2/r/summary/_/en_xi/l560_k18/4bdzx/a-2td4_a-l560_sp0/lr004940_n-031pd_n-032bu-088hh_n-032ir_n-033jk-eb_n-041cz_n-060aw_n-064qd_n-070ba_n-080an_n-088hm_n-1ab_vplrv0118_vplvs0182_vplys0418



Vehicles shown are from the Land Rover Global range. Specifications, options and availability will vary between markets and should be verified with your local Land Rover Retailer. The figures provided are official EU Test Figures. For comparison purposes only. Real world figures may differ.

†Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm).

††Wet: Volume as measured by simulating the loadspace filled with liquid.

‡The figures provided are NEDC2 calculated from official manufacturer's WLTP tests in accordance with EU legislation. For comparison purposes only. Real world figures may differ. CO₂ and fuel economy figures may vary according to wheel fitment and optional extras fitted. NEDC2 are figures calculated using a Government formula from WLTP figures equivalent to what they would have been under the old NEDC test. The correct tax treatment can then be applied.

‡‡WLTP is the new official EU test used to calculate standardised fuel consumption and CO₂ figures for passenger cars. It measures fuel, energy consumption, range and emissions. This is designed to provide figures closer to real-world driving behaviour. It tests vehicles with optional equipment and with a more demanding test procedure and driving profile. The figures shown refer to the most economical/lightest set of options.

Weights reflect vehicles to standard specifications. Optional extras increase weight.

- COOKIE AND PRIVACY POLICY
- TERMS AND CONDITIONS
- CONTACT US
- INTERNATIONAL STANDARDS
- SELECT A COUNTRY
- SITE DISCLAIMER
- ACCESSIBILITY STATEMENT

© Jaguar Land Rover Limited 2023: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that any images cannot be updated to 22/23/24 model year specifications. Features, options, trim and colour schemes will differ from many images. Customers are urged to consult your local Retailer for detailed 22/23/24 model year specifications and do not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local retailer for local availability and prices.

VIEW REGULATION (EU) 2020/740 PDF

RANGE ROVER