NEW LAND ROVER DEFENDER

DEFENDER S Ingenium 3.0 litre 6-cylinder 294kW Turbocharged Petrol MHEV (Automatic) All Wheel Drive





EXTERIOR



EXTERIOR

EXTERIOR FEATURES

COLOURS	Gondwana Stone
COLOURS	Gloss Finish
WHEELS	19" Style 6010, 6 spoke, Gloss Sparkle Silver
TYRES	Off-Road tyres
BRAKE OPTIONS	19" full size spare wheel
ROOF COLOUR	Body-coloured roof
ROOF TYPE	Standard roof
ROOF RAILS	Black roof rails
VISUAL PACKS	Black Exterior Pack
GLASS	Privacy glass
HEADLIGHTS	LED headlights













COLOURS

WHEELS

ROOF COLOUR

ROOF TYPE

ROOF RAILS

VISUAL PACKS

INTERIOR



INTERIOR

INTERIOR FEATURES

SEAT CONFIGURATION	5 seats	
TRIM	Ebony Grained leather and Robust Woven Textile seat facings with Ebony interior	
SEAT FUNCTIONALITY	12-way semi-powered front seats	
REAR SEAT OPTIONS	40:20:40 folding rear seats with centre armrest	
CONSOLE CONFIGURATION	Centre console with armrest	
HEADLINING	Light Oyster Morzine headlining	
POWDER CROSS BEAM	Cross car beam in Light Grey Powder Coat Brushed finish	
STEERING WHEEL	Standard leather steering wheel	
COLUMN	Manually adjustable steering column	
GEARSHIFT	Leather gearshift	
AUDIO	Sound System	













NG POWDER CROSS BEAM

STEERING WHEEL

COLUMN

GEARSHIFT

OPTIONS

OPTIONS

CAPABILITY AND DYNAMICS

Electronic Active Differential with Torque Vectoring by Braking	-

EXTERIOR FEATURES

No badge	-
Solar attenuating windscreen	This windscreen filters sunlight to reduce heat and prevent UV rays from entering the cabin. Its laminated construction also buffers sound to keep Land Rover Defender quieter.

ACCESSORIES

ACCESSORIES 10

EXTERIOR ACCESSORIES

Wheel Arch Protection	Providing extended protection and enhancing the exterior style of the vehicle with a more rugged appearance, the wheel arch protection is manufactured from a high-quality, durable plastic with an Anthracite coloured finish. Easy to fit, they are ideal for protecting the wheel arches when driving off-road.	
	Part number: VPLEP0379	
Raised Air Intake	Ideal when driving in dusty or sandy conditions, the raised air intake helps protect the engine by taking in cleaner air from an elevated position, above the bonnet, and therefore reducing the amount of dust particles taken into the air filter. Manufactured from a high-quality, durable plastic with an Anthracite coloured finish, it secures to the vehicle's 'A' post and utilises the existing air intake vent fixings.	
	Part number: VPLEP0435	
	PLEASE NOTE: The raised air intake does not extend the vehicle's wading capability beyond the standard wading depth of 900mm.	
Front Classic Mudflaps	Mudflaps are a popular upgrade that reduce spray and enhance the level of protection to the paintwork from debris and dirt. These larger, flexible, Land Rover branded, classic mudflaps complement the vehicle's exterior design and echo the heritage of Land Rover Defender.	
	Part number: VPLEP0387	
	Sold as a front set. Not compatible with front mudflaps.	
Rear Classic Mudflaps	Mudflaps are a popular upgrade that reduce spray and enhance the level of protection to the paintwork from debris and dirt. These larger, flexible, Land Rover branded, classic mudflaps complement the vehicle's exterior design and echo the heritage of Land Rover Defender.	
	Part number: VPLEP0388	
	Sold as a rear set. Not compatible with rear mudflaps.	

INTERIOR ACCESSORIES

Loadspace Rubber Mat	The loadspace synthetic rubber mat is a waterproof mat, tailored specifically to protect the rear loadspace from muddy or wet items. The mat is Land Rover branded, has a non-slip surface, retaining lip and is easily removed for cleaning. The mat also has a very useful bumper protector, which protects the bumper from scuffs and scratches while loading and unloading the vehicle. The liner can be stowed under the mat or detached when not in use.
	Part number: VPLES0566

ACCESSORIES 11

Integrated Air Compressor

The integrated air compressor can be used to both inflate and deflate to pre-set defined pressures. Designed for adjusting tyre pressures as well as to inflate bicycle tyres with Schrader valves, air beds and other inflatable items such as the inflatable waterproof awning. Permanently integrated into the loadspace, and with an Eiger Grey finish it complements other loadspace trim features, with minimal impact on storage space. The hose is extendable to reach all tyres easily and comes in a highly visible, bright orange finish to minimise trip hazards in low light. The easy to use dial and digital display can be set to required pressure and includes three nozzles attachments to suit a variety of applications. The hose is self-coiling and is provided in a Land Rover branded, hard wearing 600D nylon black bag with a zipped opening and carry handle for convenient storage. It also has a carabiner for secure storage to a 'D' loop.

Part number: VPLES0574

Compressor specifications: Max pressure: >60psi (>4.1 bar) and Airflow: 28L / min @ 40psi and provides an extended run to enable pressure optimisation of all four tyres in one go. Engineered to operate in extreme environments.

*Accessories are retailer fit options, please contact your preferred Land Rover retailer to discuss fitment and pricing.

CAPABILITY AND DYNAMICS

All Wheel Drive (AWD)	Twin-speed transfer box (high/low range)	Electronic Air Suspension
Adaptive Dynamics	Terrain Response	8-speed Automatic Transmission
Hill Launch Assist	Electric Power Assisted Steering (EPAS)	Dynamic Stability Control (DSC)
Low traction launch	Electronic Traction Control (ETC)	Roll Stability Control (RSC)
Cornering Brake Control (CBC)	Hill Descent Control (HDC)	Brake Hold

EXTERIOR FEATURES

Signature graphic (with interior storage)	S badge	P400 badge
Heated, electric, power fold door mirrors with approach lights and auto-dimming	Auto High Beam Assist (AHBA)	Automatic Headlight Levelling
LED tail lights	Electric Parking Brake (EPB)	Brake pad wear indicator
Emergency Brake Assist	Anti-lock Braking System (ABS)	Electronic Brake-force Distribution (EBD)
Electric windows with one-touch open/close and anti-trap	Heated rear window with timer	Rear wash wiper
Alpine lights	Puddle lights	Automatic headlights and rain sensing wipers
Rear fog lights	Follow me home lighting	Centre high-mounted stop light
Side-hinged tailgate	Black Exterior Pack	LED headlights
Gondwana Stone		

Cabin lighting

TYRES AND SPARE WHEELS

Tyre Pressure Monitoring System (TPMS) Full size spare wheel Locking wheel nuts

INTERIOR FEATURES

Standard treadplates

Sunvisors with illuminated vanity mirrors Two-zone Climate Control Loadspace cover Rear centre headrest

Durable rubber cabin flooring Durable rubber loadspace flooring Footwell lights

Rear reading lights Twin front cupholders Overhead stowage for sunglasses

Assisted tailgate Glovebox storage Hooks in loadspace

Cross car beam in Light Grey Powder Coat Brushed finish Standard leather steering wheel Centre console with armrest

Leather gearshift

DRIVER ASSISTANCE

Emergency Braking 3D Surround Camera Cruise Control and Speed Limiter

Driver Condition Monitor 360° Parking Aid Lane Keep Assist

Traffic Sign Recognition and Adaptive Speed Limiter Wade Sensing

CONVENIENCE

Auto-dimming interior rear view mirror Keyless Entry

INFOTAINMENT

Smartphone Pack Digital Audio Broadcast (DAB) radio Remote

Connected Navigation Pro Online Pack Click and Go integrated base unit

Interactive Driver Display 10" Touchscreen 12V power socket in loadspace

Trip computer Power Socket Pack 1 Sound System

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Rear ISOFIX Perimetric alarm Customer Configurable Autolock

Power operated child locks Seat belt reminder Push Button Start

Front airbags, with passenger seat occupant detector

TECHNICAL SPECIFICATIONS

PERFORMANCE		TOWING	
Maximum speed km/h	208 ▲	Unbraked trailer (kg)	750
Acceleration (secs) 0-100 km/h	6.1	Maximum towing (kg)	3,500
		Maximum coupling point (nose weight) (kg)	350‡‡
FUEL ECONOMY		Maximum vehicle and trailer combination	6,665 (5 & 6 seats) / 6,750 (5+2 seats)
CO ₂ Emissions - (g/km)	TBC	(GTW) (kg)	
Combined I/100km	TBC	ROOF CARRYING	
Tank capacity (litres approx.)	90	Maximum roof load (including cross bars) (kg)	100 / 168
POWERTRAIN			
Capacity (cc)	2,996	DIMENSIONS	
Maximum power (kW)	294	Height (mm)	1,967
Maximum torque (Nm)	550	Length (mm)	5,018
Transmission	Automatic	Width with mirrors folded (mm)	2,008
		Width with mirrors out (mm)	2,105
WEIGHTS		Front wheel track (mm)	1,704.1
Unladen weight (EU) (kg)	2,361 (5 seats) / 2,384 (6 seats) / 2,418 (5+2	Rear wheel track (mm)	1,699.7
	seats)‡	Wheelbase (mm)	3,022

3,165 (5 & 6 seats) / 3,250 (5+2 seats)

Gross Vehicle Weight (GVW) (kg)

HEADROOM

Maximum front/rear headroom with standard roof (mm)	1,032 / 1,025
Maximum front/rear headroom with pano roof (mm)	1,032 / 1,025

LEGROOM

Maximum front/rear legroom (mm)	993 / 992 (5 seats) 975 (5+2 seats)
• ,	

LOADSPACE CAPACITY

Height (mm)	904
Width (mm)	1,211 (5 seats) / 1,188 (5+2 seats)
Width between arches (mm)	1,160
Length behind first row (mm)	1,763 (5 seats) / 1,789 (5+2 seats)
Maximum loadspace volume behind first row - Wet (litres)	2,380 (5 seats) / 2,233 (5+2 seats) \diamond
Length behind second row (mm)	919 (5 seats) / 900 (5+2 seats)
Maximum loadspace volume behind second row - Wet (litres)	1,075 (5 seats) / 916 (5+2 seats) \diamond
Length behind third row (mm)	289
Maximum loadspace volume behind third row - Wet (litres)	231♦

GROUND CLEARANCE

Standard/Off Road ride height (mm)	218 / 293
Approach Angle - Standard/Off Road*	30.1° / 38.0°
Departure Angle - Standard/Off Road*	37.7° / 40.0°
Ramp Angle - Standard/Off Road*	22.0° / 28.0°

TURNING CIRCLE

Kerb to kerb (m)	12.84
Wall to wall (m)	13.12
Turns lock to lock	2.70

WADING DEPTH

Maximum wading depth (mm)	900
Maximum wading depth (mm)	900

Vehicles shown are from the Land Rover Global range. Specifications, options and availability will vary between markets and should be verified with your local Land Rover Retailer. The figures provided are official EU Test Figures. For comparison purposes only. Real world figures may differ

▲ Max speed is 191km/h when fitted with 18" - 20" wheels.

‡Includes a 75kg driver, full fluids and 90% fuel.

‡‡The maximum coupling point (nose weight) only applies to trailers with overrun brakes, without overrun brakes the maximum coupling point (nose weight) = 150kg. Furthermore, the coupling point (nose weight) must not exceed 10% of the gross caravan or trailer weight. For further information, please contact your preferred Land Rover Retailer.

- ◆Dynamic roof load allows for up to 118kg/168kg (90/110) when fitted with All Terrain Tyres. Static roof load allows for up to 300kg.
- ♦ Wet: Volume as measured by simulating the loadspace filled with liquid.
- *Towing equipment covers removed.

Weights reflect vehicles to standard specifications. Optional extras increase weight.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

- PRIVACY POLICY
- TERMS AND CONDITIONS
- CONTACT US
- MARKET SELECTOR

© Jaguar Land Rover Limited 2024: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

*Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that many images cannot be updated to the latest model year specifications. Features, options, trim and colour schemes will differ from many images. Customers are urged to consult your local Retailer for details on the latest model year specifications and do not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local retailer for local availability and prices.