Your Personalised Land Rover

NEW RANGE ROVER VELAR

Range Rover Velar Ingenium 2.0 litre 4-cylinder 132kW Turbocharged Diesel





EXTERIOR



EXTERIOR

EXTERIOR FEATURES

COLOURS	Byron Blue	R 3,800
WHEELS	18" 15 spoke 'Style 1022'	R 0
ROOF COLOUR	Body-coloured roof	R 0
ROOF TYPE	Fixed Panoramic roof	R 19,500
ROOF RAILS	Silver painted roof rails	R 1,800
GLASS	Privacy Glass	R 4,700
HEADLIGHTS	LED Headlights	R 0

TOTAL R 29,800













COLOURS

WHEELS

ROOF COLOUR

I O UR ROOF

ROOF TYPE

ROOF RAILS

GLASS

INTERIOR



INTERIOR

INTERIOR FEATURES

TRIM	Ebony Perforated Grained Leather	R 7,400
SEAT FUNCTIONALITY	10-way seats with Driver Memory	R 17,100
INTERIOR UPGRADES	Standard Interior	R 0
HEADLINING	Light Oyster Morzine headlining	R 0
FINISHERS	Shadow Aluminium Trim finisher	R 0
MATERIAL	Leather steering wheel	R 0
AUDIO	Meridian Sound System (11 Speakers 380W)	R 3,800

TOTAL R 28,300











TRIM HEADLINING

FINISHERS

MATERIAL

AUDIO

OPTIONS

OPTION PACKS		R 7,400
Convenience Pack	Loadspace Partition Net Rear Seat Remote Release Levers Activity Key	R 7,400
EXTERIOR FEATURES		R 6,900
Auto-Dimming, Power Fold, Heated Door Mirrors with Approach Lights	These advanced, heated mirrors are power folding to avoid damage when parking in confined spaces. In addition, the door mirror features auto-dipping functionality when the reverse gear is selected, improving visibility when manoeuvring. Integrated approach lights to the underside of the mirrors feature the Range Rover Velar silhouette.	R 6,900
	The mirrors are also equipped with a memory function. Once you set your ideal seating and mirror positions, it automatically recalls your preferred driving position settings. Auto-dipping function and Mirror memory positioning linked to seat positions only when memory seats are also taken.	
No Derivative and/or Engine Badge	-	R 0
DRIVING AIDS		R 8,800
350mm Front Brakes	The standard 325mm Front Brakes can be upgraded to 350mm. This system is optimised to combine both durability and low weight while delivering fast and responsive braking performance.	R 4,300
Front and Rear Parking Aid	Helps detect objects when manoeuvring. The Front Parking Aid sensors can be activated manually and are also automatically activated when Reverse is selected. The front sensors remain active until a forward speed of 16km/h (10mph) is reached.	R 4,500
INTERIOR FEATURES		R 13,900
Cabin Air Ionisation	This technology helps the well-being of both driver and passenger alike. It improves the air quality within the cabin, and can help reduce allergens, viruses, bacteria and odours. It does so by decomposing harmful substances, thus helping to cleanse the air in the cabin. It can be switched on or off.	R 2,400

Carpet Mats	510gsm Tufted Ebony floor mats with stitched Range Rover Velar badge further enhance the vehicle's interior. They feature Ebony Suede effect binding and single Ebony stitching.	R 1,600
Four-zone Climate Control	Automatic Four-zone Climate Control which can be optimised for each individual occupant. Includes additional vents in the B-pillar.	R 7,700
Loadspace Partition Net	Separate the loadspace area from the rear seats with this safety partition net. Also available as a retailer fit accessory.	R 0
Lockable Cooled Glovebox	Cooled glovebox gives the option to vent the cooled air from the air conditioning system entering to cabin into the glovebox.	R 2,200
Rear Seat Remote Release Levers	Remote release of the rear seats via levers in the loadspace area makes folding the rear seats for additional loading capacity even easier.	R 0
CONVENIENCE AND INFOTAINMENT		R 7,700
Interactive Driver Display	The upgraded 12,3" high-definition Interactive Driver Display* can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin sharp graphics. Features can be accessed on either the Interactive Driver Display or the Touch Pro Duo Touchscreens.	R 7,700
Activity Key	Makes living life to the full even easier. For extra convenience, you can wear the Activity Key if you prefer not to carry a key fob. The wristband is robust and fully waterproof. It allows you to enjoy a range of activities – from skydiving to swimming – and keep your vehicle key with you. You can use the Activity Key while keys remain in the vehicle as the conventional key fob is deactivated for security.	R 0
TOWING		R 0
Fixed Rear Recovery Eye	-	R 0
	ТОТ/	AL R 44,700

STANDARD FEATURES

TYRES AND SPARE WHEELS

Full Size Spare Wheel

TRANSMISSION AND DYNAMICS

Trailer Stability Assist (TSA)	Lane Departure Warning	Speed Proportional Electronic Power Assisted Steering (EPAS)
Coil Suspension	Open Rear Differential	Terrain Response
Single-Speed Transfer Box (High Range Only)	8-Speed Automatic Transmission	Adaptive Dynamics
Hill Launch Assist	Dynamic Stability Control (DSC)	Low Traction Launch
Electronic Traction Control (ETC)	Roll Stability Control (RSC)	Cornering Brake Control (CBC)
Torque Vectoring by Braking (TVBB)	Hill Descent Control (HDC)	Electric Parking Brake (EPB)
Anti-Lock Braking System (ABS)	Electronic Brake-force Distribution (EBD)	

EXTERIOR FEATURES AND FINISH

Acoustic Laminated Windscreen	Heated Rear Window with Timer	Rain Sensing Windscreen Wipers
Heated Door Mirrors	Manual Tailgate / Boot lid	Flush Exterior Door Handles
Tailgate spoiler		

HEADLIGHTS AND LIGHTING

Rear Fog Lights Automatic Headlight Levelling System Follow Me Home Lighting

Automatic Headlights

WHEELS AND OPTIONS

Tyre Pressure Monitoring System (TPMS)

All-Season Tyres

INTERIOR FEATURES

Standard IP End Caps

Touch Pro Second Display

Auto-Dimming Interior Rear View Mirror

Illuminated Vanity Mirrors Front and Rear Cupholders Air Quality Sensor

Interior Lighting Metal Front treadplates Metal Loadspace Scuff Plate

SEATING FUNCTIONALITY

40:20:40 Split Fold Rear Seat Passive front headrests Second Row Centre Headrest

CONVENIENCE AND INFOTAINMENT

Analogue Dials with Central TFT Display

Intrusion Sensor

Bluetooth® Connectivity

Remote

Power Socket Pack 1

Loadspace Cover

Lockable Glovebox Rear Parking Aid Cruise Control and Speed Limiter

Keyless Entry Voice Control

SAFETY

Power Operated Child Locks

Seatbelt Reminder

Rear ISOFIX

Global Lock/Unlock Switch on Driver Door

Lock Only Switch on Front Passenger Door

Advanced Emergency Brake Assist

Brake Pad Wear Indicator

TECHNICAL SPECIFICATIONS

VEHICLE LENGTHS

Overall length (mm)	4,803
Wheelbase (mm)	2,874
Length behind first row (mm)	1,795
Length behind second row (mm)	1,035

VEHICLE HEIGHT & WIDTHS

Width with mirrors folded (mm)	2,032
Width with mirrors out (mm)	2,145
Front wheel track (Coil/Air Suspension) (mm)	1,640/ 1,644
Rear wheel track (Coil/Air Suspension) (mm)	1,657/ 1,663
Height (mm)	1,665

STANDARD RIDE HEIGHT

With roof rails (mm)	1,657
With roof antenna (mm)	1,685
With panoramic roof open (mm)	1,705
Access height air suspension setting will reduce each of the above by (mm)	-40

HEADROOM

Maximum front headroom with panoramic roof (mm)	970
Rear headroom (mm)	966

LEGROOM

Maximum front legroom (mm)	1,024
Maximum rear legroom (mm)	945

LOADSPACE CAPACITY - REAR SEAT UPRIGHT

Height (mm)	1,045
Width (mm)	1,247
Loadspace volume (litres)	558
Loadspace width between arches (mm)	1,050
Length at floor (mm)	1,035

LOADSPACE CAPACITY - REAR SEATS FORWARD

Height (mm)	1,045
Width (mm)	1,247
Loadspace volume (litres)	1,616

LOADSPACE CAPACITY - REAR SEATS FORWARD		WADING DEPTH	
Loadspace width between arches (mm)	1,247	Electronic Air Suspension (maximum) (mm)	650
Length at floor (mm)	1,795	Coil Suspension (maximum) (mm)	600
OFF-ROAD OBSTACLE CLEARANCE		POWER (KW)	
Off-road height (mm)	251		
Approach Angle (Electronic Air Suspension)	24.3°	ENGINE DATA	
Ramp Angle (Electronic Air Suspension)	21.1°	Bore (mm)	83
Departure Angle (Electronic Air Suspension)	26.5°	Stroke (mm)	92.4
		Compression ratio (:1)	15.5:1 +/5
STANDARD OBSTACLE CLEARANCE			
Standard ride height (mm)	213	BRAKES	
Approach Angle (Coil Suspension)	23.3°	Front type	Single Piston Sliding Caliper, Ventilated Disc
Ramp Angle (Coil Suspension)	19.0°	Front diameter (mm)	325
Departure Angle (Coil Suspension)	25.3°	Rear type	Single Piston Sliding Caliper, Ventilated Disc
		Rear diameter (mm)	325
TURNING CIRCLE		Park Brake	Motor on Caliper
Kerb-to-kerb (m)	11.6		
Wall-to-wall (m)	12	WEIGHTS	
Turns lock-to-lock	2.52	Weight from (KG)	1,829

WEIGHTS

Gross Vehicle weight (KG)	2,490
Maximum mass on front axle (KG)	1,190
Maximum mass on rear axle (KG)	1,420

TOWING

Unbraked trailer (KG)	750
Maximum towing (KG)	2,400
Maximum coupling point/nose weight (KG)	175
Maximum vehicle and trailer combination/ Gross Train Weight (KG)	4,890

ROOF CARRYING

Maximum roof load (including Roof Rails)	79
(KG)	

PERFORMANCE

Maximum speed km/h	193
Acceleration 0-100 km/h seconds	8.9
Fuel tank capacity (litres approx.)	60
CO ₂ Combined emissions (g/km)	142

PRICING

Pricing

BASE	R 976,500
CONFIGURED OPTIONS TOTAL	R 102,800
CO ₂ Tax (Including VAT)	R 2,783
Final Price	R 1,082,083*



https://buildyour.landrover.com/lr2/r/summary/_/en_za/l560_k18/4cb6x/a-2td4_a-l560_sp0/ n-017fi_n-020da_n-022bc_n-022gb_n-025lm_n-029yh_n-038id_n-041cx_n-041hc_n-047ab_n-060bc_n-079aj_n-080ac_n-088jw_n-185aa _n-189ad_n-1ck Vehicles shown are from the Land Rover Global range. Specifications, options and availability will vary between markets and should be verified with your local Land Rover Retailer. The figures provided are official EU Test Figures. For comparison purposes only. Real world figures may differ.

Recommended Retail Prices are subject to change without notice, exclude CO2 tax, and include a 5 year/100,000km Maintenance Plan and Roadside Assistance. Recommended Retail Prices shown includes VAT and Retailer fitting costs (if required). Vehicle standard features and options reflect current model year specifications. Vehicles in retailer stock might differ from the website. Please consult your local retailer for stock vehicle specifications. Standard Terms And Conditions apply.

**Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm).

**Wet: Volume as measured by simulating the loadspace filled with liquid.

Weights reflect vehicles to standard specifications. Optional extras increase weight.

†Includes a 75kg driver, full fluids and 90% fuel.

††Includes full fluids and 90% fuel.

- PRIVACY POLICY
- TERMS AND CONDITIONS
- CONTACT US
- SELECT A COUNTRY

© Jaquar Land Rover Limited 2023: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that many images cannot be updated to 22/23 model year specifications. Features, options, trim and colour schemes will differ from many images. Customers are urged to consult your local Retailer for detailed 22/23 model year specifications and do not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local retailer for local availability and prices.